





Round plug connector M16



with open ended wire
14-pole

Female
straight



1	Form	No.	16011		16031	
	Suppression/Circuit diagram		8-pole		10-pole	
						
	Connection cable for distributor		4-way		6-way	
	Contact layout					
2	Cable type	Jacket color			Jacket color	
	Wire diameter 0.34/0.75 mm²		gray		gray	
	PUR/PVC		332		354	
3	Cable length					
	5.0 m	0500				
	10.0 m	1000				
Your article no.						
The composition of your article number is explained on page 1.1.2		7000 — — — — Murrelektronik Standard				
		1 Form 2 Cable type 3 Cable length				
Notes		Accessories and technical data in chapter 1.10. Further cable lengths on request.				

Round plug connector M16



with open ended wire
14-pole

Female
straight



1	Form	No.	16051		16071	
	Suppression/Circuit diagram	12-pole		14-pole		
	P J T S G R E O A M L U white green yellow gray pink red black violet brown 0.75 mm² blue 0.75 mm²		P J T S G R E O C N A M L U white green yellow gray pink red black violet gray/pink red/blue brown 0.75 mm² blue 0.75 mm²			
Connection cable for distributor		8-way		10-way		
Contact layout		Female		Female		
2	Cable type	Jacket color		Jacket color		
	Wire diameter 0.34/0.75 mm² PUR/PVC	gray 361		gray 383		
3	Cable length					
	5.0 m	0500				
	10.0 m	1000				
Your article no.						
The composition of your article number is explained on page 1.1.2		7 0 0 0 - - - - - - - - - - - - - - Murrelektronik Standard				
		1 Form 2 Cable type 3 Cable length				
Notes		Accessories and technical data in chapter 1.10. Further cable lengths on request.				


Round plug connector M16

Round plug connector M16



with open ended wire
14-pole

Female
90°




1	Form	No.	16111		16131								
	Suppression/Circuit diagram		8-pole		10-pole								
			P J T S A M L U white green yellow gray brown 0.75 mm² blue 0.75 mm²		P J T S G R A M L U white green yellow gray pink red brown 0.75 mm² blue 0.75 mm²								
	Connection cable for distributor		4-way		6-way								
	Contact layout		Female		Female								
2	Cable type	Jacket color			Jacket color								
	Wire diameter 0.34/0.75 mm²		gray		gray								
	PUR/PVC		332		354								
3	Cable length												
	5.0 m	0500											
	10.0 m	1000											
Your article no.													
The composition of your article number is explained on page 1.1.2		7000 Murrelektronik Standard - -											
		1		Form		2		Cable type		3		Cable length	
Notes		Accessories and technical data in chapter 1.10. Further cable lengths on request.											

Round plug connector M16

with open ended wire

14-pole

Female
90°



1	Form	No.	16151	16171
	Suppression/Circuit diagram	12-pole		
2	Connection cable for distributor	8-way		
	Contact layout	10-way		
3	Cable type	Jacket color		
	Wire diameter 0.34/0.75 mm² PUR/PVC	gray 361		gray 383
3	Cable length			
	5.0 m 10.0 m	0500 1000		
Your article no.				
The composition of your article number is explained on page 1.1.2				
7 0 0 0 - - - - - - - - - - Murrelektronik Standard				
1 Form 2 Cable type 3 Cable length				
Notes				
Accessories and technical data in chapter 1.10. Further cable lengths on request.				